DMARD in Osteoarthritis

Dr. Sudip Ranjan Deb

Assistant Professor

Department Of Medicine

Dhaka Medical College & Hospital





Types Of Osteoarthritis

- 1. Generalized Nodal OA
- 2. Knee OA
- 3. Hip OA
- 4. Spine OA
- 5. Early-onset OA
- 6. Erosive OA

DMARDs have been used with effect in case of only Erosive OA and ?Knee OA

DMARDs studied in erosive OA

- Methotrexate
- Hydroxychloroquine
- □ Oral Gold.

DMARDs studied in Knee OA

Methotrexate

www.ncbi.nlm.nih.gov www.discoverymedicine.com.20/05/2010 So far <u>three</u> small studies have evaluated the use of <u>Hydroxychloroquine</u> in erosive hand OA with statistically significant result

So far only <u>one</u> study has evaluated the effect of <u>Methotrexate</u> in knee OA with statistically significant result

Large scale randomized controlled trials are going on in different centers in the USA, Western Europe and Australia

Pitfalls

- □ Small study population
- No large scale randomized controlled trial
- □ Still not recommended by American College of Rheumatology (ACR)
- ☐ Still not included in major text books
- Duration of treatment

New Arena

DMOAD- Disease-Modifying Osteoarthritis Drugs

- Calcitonin
- Bisphosphonate
- ☐ Strontium Renelate
- Doxycycline
- Cathepsin K inhibitors
- ☐ Anti-IL-1ß
- ☐ Fibroblast Growth Factor 18

